

4/10/01, NDIA PRES.

Author: John A. Condon Mechanical Engineer 410-306-0739 jac@arl.army.mil

> US Army Research Lab APG, MD 21005

#### **RECOGNITION OF CONTRIBUTORS:**

JOHN MCLAUGHLIN / JAMES SPANGLER - ELECTRONICS DESIGN / FAB. / ASSEMBLY & TESTING.

DAVE HEPNER / WALLY CLAY- PCM/TM SUPPORT, XMTR/REC'R INTEGRATION

CHARLIE MITCHELL - H/W FABRICATION

ERIC IRWIN / ED BUKOWSKI - BATTERY CONDITIONING SUPPORT

TOM HARKINS - IMAGE ANALYSIS

SAM PEREZ / DIANE WAGNER / EUGENE SCHLENK - PM MORTAR SYSTEMS, ARDEC - MORTAR PARTS, DWGS, & INFO.




- <u>OBJECTIVES</u>: DESIGN & DEMONSTRATE A GUN-HARDENED, "WIRELESS", DIGITALLY-ENCRYPTABLE, IMAGER SYSTEM (<\$10k/imager)
- SUPPORTS: ARDEC QUICKLOOK STO.
- <u>PLAN:</u> APPLY COTS VIDEO AND XMTR TECHNOLOGIES & INTEGRATE INTO A MODIFIED XM930 120mm MORTAR SUBMUNITION.
- <u>CONCLUSIONS</u>: SUCCESSFULLY FLIGHT-TESTED IMAGER MORTAR TO ~2000 G'S, PCZ #1.
- <u>LESSONS LEARNED</u>: IMAGERY MUST BE ANALYZED TO DETERMINE USAGE, TLE, BDA, etc. & TO DETERMINE REQ'D. IMPROVEMENTS.




poc: John Condon, 4/10/01, NDIA PRES.

#### FLIGHT TEST PLATFORM - REQ.'D MODS.










#### Design & Flight Testing of a Mortar Deployed Video Imager poc: John Condon, 4/10/01, NDIA PRES.

IMAGER BOM (NON-PROD. VERSION)	<u>\$</u>
COTS CCD CAMERA	<b>120</b>
COTS VIDEO COMPRESSION ENCODER	2880
COTS XMTR, S-BAND, HI-G Q'D.	4000
COTS ANTENNA, S-BAND	1525
COTS BATTERIES, NICAD	<u>50</u>
PER UNIT COST (W/O NRE & LABOR COSTS)	<i>8575</i>





poc: John Condon, 4/10/01, NDIA PRES.

#### KEY DESIGN FEATURES....

O-RING SEAL FOR INTERNAL EXPULSION GAS RESISTANCE

IMAGER FOV

ENCAPSULATE INTERIOR VOL. & COMPS. TO SHOCK-HARDEN

INTERFACE TO EXISTING PARACHUTE


INTEGRATE
WRAP-AROUND
ANTENNA


THRU-MORTAR-BODY MAN. TURN-ON SWITCH





poc: John Condon, 4/10/01, NDIA PRES.


## GROUND SHOCK TABLE TESTING OF IMAGER COMPONENTS...














poc: John Condon, 4/10/01, NDIA PRES.





ABS PLASTIC RP BATT+ENCD'R+ PWR BOARD HOLDER (used CAE art-topart technologies, FDM)

ENCD'R BRD (OEM as is)

PWR BRD

4X NICAD BATTS, (20min. total discharge time)

**ENCAPSULATE....** 









poc: John Condon, 4/10/01, NDIA PRES.

#### IMAGER SYSTEM











poc: John Condon, 4/10/01, NDIA PRES.

#### DESIGNED & BUILT A LOW-COST, IN-LAB MORTAR BODY ASSEMBLY FIXTURE

- FOR BATTERY TURN-ON SW. PORT INSTALL.
- IMAGER INSTALLATION
- MORTAR BODY SHEAR PIN INSERTION











poc: John Condon, 4/10/01, NDIA PRES.

### VERIFIED HSG. & PLATE STRUCTURAL INTEGRITY AND MORTAR EXPULSION DYNAMICS WITH FEA









poc: John Condon, 4/10/01, NDIA PRES.

## FLIGHT TESTED MOCKUP IMAGER ROUNDS

- INSURED EXPULSION & CHUTE DEPLOYMENT
- VERIFIED INTEGRITY OF HOUSING & FEA PREDICTIONS
- VERIFIED INTEGRITY ANTENNA
- VERIFIED O-RING SEAL
- VERIFIED PUSHER PLATE DYNAMICS



120mm MORTARS...WARMERS & MOCKUP IMAGER ROUND

#### RECOVERED MORTAR BODY HALVES AND MOCKUP IMAGER



RECOVERED MOCKUP IMAGER



MINIMAL RESIDUE DEPOSITED BY EXPUL. CHARGE GAS BLOW-BY... CAMERA LENS SHOULD BE O.K.

CONTACT PINS
WERE NOT
CONTACTED
BY PUSHER
PLATE DURING
EXPULSION...
CAMERA & XMTR
SHOULD BE O.K.



poc: John Condon, 4/10/01, NDIA PRES.

# FLIGHT TESTING OF IMAGER MORTAR ROUND

- PROVED IMAGER ROBUSTNESS TO TYPICAL MORTAR GUN-LAUNCHING LOADS (1500-3000 g's)...MINOR ANTENNA DAMAGE SUSTAINED IN SHOT
- IMAGER RECOVERED AND WAS REUSEABLE
- 5 FR/SEC (@1.25MBITS/SEC.)
  ACQUIRED FOR 90 SEC. DECENT
  FROM EXPULSION @ 1400' ALTITUDE;
  INITIAL CAMERA FOV @ EXPULSION =
  1616' x 1553', i.e. ~ 1m x 1m = 1 pixel

20sec. of video from imager




20sec. of video of decending imager from camcorder on

ground









poc: John Condon, 4/10/01, NDIA PRES.

#### SUMMARY

- > 120mm MORTAR IMAGER CONCEPT PROVEN
- > IMAGER GUN-HARDENED TO ~2000 gs
- > IMAGER LESSONS LEARNED & FUTURE...
- IMAGE QUALITY & USE MUST BE ADDRESSED
- ANTENNA RECEPTION ISSUES [VIDEO DROP-OUTS] MUST BE ADDRESSED
- INTEGRATE NEW HSTSS XMTR, INERTIAL SENSORS, SIG. COND., ADDITIONAL PCM ENCODER, NEW BATTERY, & GPS REC'R...SENSORS TELL WHERE IMAGER IS LOOKING
- ADDITION OF INTERNAL G-SWITCH TURN-ON FEATURE; REDUCES BATTERY VOL., ELIMINATES GUNNER TASK.